



817 Lawn Ave, Sellersville, PA 18960 www.cgi-health.com

Your colonoscopy is scheduled for		. Please arrive at			
Your procedure will be performed by	☐ Dr. Kucer	☐ Dr. Markos	☐ Dr. Lukaszewski		
When arriving, please report to BUILDING B, which is the 2 nd building in the complex.					
Attached you will fi	nd the instruction	ns for your bowel p	rep.		
Also included is a worksheet to assist contac	you in determini t your insurance	- ·	sponsibility when you		
Prior to arriving at our facility, pl			esponsibilities at		
<u>www</u>	.cgi-health.con	<u>n/rignts</u> .			
If you are unable to access the patie copy), have any questions in regards please contact	to the prep, or i	you need to chang	ge your appointment		
When you arrive for your procedure, pl you. You can expect	_	•	• •		

For our female patients between the ages of 18-57: On the day of the procedure you will be asked to provide the date of your last menstrual cycle and asked if there is any chance you could be pregnant. If uncertain, we advise you to take a pregnancy test prior to your arrival or your procedure will be cancelled.

Colonoscopy – What you need to know!

Diagno	stic/Therapeutic Colonoscopy	CPT Code: 45378	Diagnosis:	
Patient	t has past and/or present symptoms	s, colon polyps, or gastrointe	stinal disease	
Surveil	lance/High Risk Colonoscopy	CPT Code: G0105	Diagnosis:	
Patient	t has a personal and/or family histo	ry of colon polyps, gastroint	estinal disease, or cancer. Patients i	n
this cat	tegory are required to undergo colo	noscopy sureveillance at sho	ortened intervals (e.g. every 2-5 year	s)
□Preven	tative Colonoscopy	CPT Code: G0121	Diagnosis:	
	t is over the age of 50, has no perso . The patient has not undergone co		polyps, gastrointestinal disease, or years.	
the phy	will bill me? You may receive bills ysician, facility, anesthesiologist, pacopy Center can only provide you w	thologist, and/or laboratory	ciated with your procedure, such as . The Center for GI Health and	
How w	vill I know what I owe? Call your	insurance carrier and verify	your benefits and coverage by askin	ıg
	lowing questions. Codes for your p	•		0
	al obligation, you will need to give		, , , , , , , , , , , , , , , , , , , ,	
1. 2.	Is the procedure and diagnosis co Will the diagnosis code be process benefits for that service? (Benefit diagnosis).	sed as preventative, surveilla	☐ YES ☐ NO ance or diagnostic and what are my surance company recognizes the	
	Diagnostic/Medically Necessa	ry Benefits		
		Co-Insurance Responsibility	:	
	Is the facility in Network?	☐ YES ☐ NO		
	Screening/Preventative/Wellr Are there age and/or frequen (e.g. one every 10 years afte	cy limits for my colonoscopy		
	Deductible:	Co-Insurance Responsibility	:	
3.	If the physician removes a polyp,		oocket responsibility? (A biopsy or necessary benefit. Carriers vary on	
	this policy. You may owe more ou	•	YES NO	
Repres	sentatives Name:	Call Reference #: _	Date:	_

Can the physician change, add, or delete my diagnosis so that I can be considered a colon screening? NO. The patient encounter is documented as a medical record from the information you have provided as well as an evaluation and assessment from the physician. It is a binding legal document that cannot be changed to facilitate better insurance coverage.

THE PREP

PRIOR TO YOUR PROCEDURE

PLEASE PURCHASE the following items over the counter at your pharmacy:

4 Dulcolax Laxative Tablets (not stool softener) 238 gram Miralax bottle

If you are DIABETIC, please consult with the physician who regulates your medication so that they make the proper adjustments while you are on a liquid diet the day before your procedure.

THE DAY PRIOR TO YOUR PROCEDURE

NO SOLID FOOD IS TO BE EATEN THE DAY BEFORE YOUR PROCEDURE.
PLEASE DISCONTINUE DRINKING LIQUIDS AT MIDNIGHT.

The following clear liquids are acceptable the day prior to your procedure: soup broth, bouillon soup, soda, iced tea, hot tea, black coffee (no milk, cream or non-dairy coffee additives, sugar is ok), water, **non-red** colored juices (i.e. apple, white grape, white cranberry), strained lemonade, **non-red** colored Kool Aid, Gatorade, Crystal Light, popsicles without ice cream, Italian water ice, and Jell-O.

Medications may be taken as usual on this day.

At 3:00 PM take 2 Dulcolax tablets. Do not crush or chew these pills. Do not take these pills within 1 hour of taking an antacid such as Maalox, Tums, Mylanta or any other antacid.

At 5:00 PM take the additional 2 Dulcolax tablets with water and mix a 238 gram bottle of Miralax in 64 oz. of a chilled **non-red** liquid. Begin drinking 8 oz. every 10-15 minutes until the solution is gone.

Continue drinking fluids until bedtime as this will aid in the overall cleansing of your bowel for colonoscopy.

MORNING OF YOUR PROCEDURE

You may take your heart and /or blood pressure medication with a sip of water if necessary at least 3 hours prior to the procedure.

DRIVER NEEDED: If you do not have a driver you will have the option of either having the procedure done without sedation or you may reschedule for another day. Public transportation (cab, public or private transit vehicles, etc) is acceptable after your procedure **only** if you have a responsible adult to accompany you. An adult must remain with you for the remainder of the day.

You are not permitted to drive until the next morning.